




Volkswagen

TRANSPORTER T5 AMBULANCE



SPECIFICATION

- ENGINE : 2.0L PETROL
- POWER : 115 HP
- TORQUE : 170 Nm at 2700 rpm
- GEAR : 5-Speed manual gearbox





TECHNICAL

Engine: 2.0 L petrol, 115 hp, 16 valves, multi-point injection

Torque: 170 Nm at 2700 rpm

Transmission: 5-speed manual gearbox

Fuel Consumption: 10.5 l/100 km

CO2 Emissions: 195 g/km

Suspension: Four independent wheels with anti-roll bars

Damping: Firmness ensuring good balance

Wheelbase: 3400 mm

Payload: 875 to 1466 kg

Gross Vehicle Weight (GVW): 2,800 kg

Gross Trailer Weight (GTW): 2,500 kg (braked)

Payload Capacity: 1,000 kg

Towing Capacity: 2,500 kg (braked)

Roof height		Low	High¹
Wheelbase		3,400	3,400
Load compartment	length	2,975	2,975
	width	1,700	1,700
	width between wheel arches	1,244	1,244
	height	1,410	1,940
	floor area	5.0m ²	5.0m ²
	load volume	6.7m ³	9.3m ³
	Side sliding door	width	1,017
height		1,282	1,282
Optional high side sliding door	width	-	1,017
	height	-	1,734
Rear wing doors	width	1,473	1,473
	height	1,305	1,694
Tailgate	width	1,473	-
	height	1,299	-
Turning circle (wall to wall)		13.2m	13.2m



INTERIOR AND MEDICAL EQUIPMENT

Driver's Seat: Comfort, adjustable in height and depth

Features: A4 document holder, cup holder, manual air conditioning, CD radio

Comfort Plus Package: Air conditioning, CD radio, comfort driver's seat, interior central locking control

Transport Package: Fixed glazed partition, glazed rear doors, rear parking aid

Useful Cargo Volume: 9,300 liters

Useful Loading Length: 2,943 mm

Loading Height: Approximately 1,935 mm

Loading Width: Approximately 1,700 mm (between wheel arches)

PVC/Fiberglass Medical Cabinet:

For equipment and medicines

Air Conditioning Unit: For patient's cabinet

Bulkhead: With sliding glass window

Attendant Seat: Tip-up bench with under-seat storage area

Seat Belts: 2-point seat belts

Flooring: Marine plywood with vinyl coating and chequer plate flooring

Upholstery: Durable and easy-to-clean

Power Inverter: For electrical equipment

Electric Panel Board: With fuses

Electrical Outlets: 12V DC, 220V AC

Medical Equipment:

Oxygen System: AZ oxygen cylinder with valve, medical regulator with flow meter and humidifier, oxygen mask, oxygen outlet with piping and tubing

First Aid Equipment: First aid box, portable suction unit, stethoscope, sphygmomanometer, syringes (10ml, 5ml, 3ml), IV cannula, neck collar, face masks, gloves box

Medical Supplies: Gauze swab (large and small), disposable bed sheet, cotton roll

Additional Features:

Stretchers: Automatic loading stretcher, folding stretcher, ramp stretcher

Emergency Equipment: Emergency window hammer, fire extinguisher

Safety: Sharp container, first aid kits

(big for 50 persons, big for 5 persons, small for 3 persons), BP apparatus, hand sanitizer







EXTERIOR

Overall Length:

Approximately 5,290 mm

Overall Width:

Approximately 1,904 mm (excluding mirrors)

Overall Height:

Approximately 2,470 mm (for the elevated L2H2 version)

Body:

Panel van with glazed rear doors

Lighting:

Exterior: LED multi-flashing roof light bar with siren and speaker, rear beacon lights, front bumper lights (red/blue)

Interior: LED patient cabinet lights, flood light at rear, loading light, map reading light

Roof Ventilation Fan: For air circulation

Frosted Side Glass: For privacy

Livery and Design: Customized ambulance body design with reflective stickers and warning stickers

Accessories: Reflective stickers, all kinds of warning stickers inside the ambulance, triangle sign

Advantages

Excellent road handling

High build quality

Comprehensive medical equipment integration

