




Volkswagen

TRANSPORTER T5 LW



SPECIFICATION

- ENGINE :** 2.0L PETROL
- POWER :** 115 HP
- TORQUE :** 170 Nm at 2700 rpm
- GEAR :** 5-Speed manual gearbox





TECHNICAL

Engine: 2.0 L petrol, 115 hp,
16 valves,

multi-point injection

Torque: 170 Nm at 2700 rpm

Transmission: 5-speed manual gearbox

Fuel Consumption: 10.5 l/100 km

CO2 Emissions: 195 g/km

Suspension: Four independent wheels with anti-roll bars

Damping: Firmness ensuring good balance

Wheelbase: 3400 mm

Payload: 875 to 1466 kg

2. General Dimensions of L2H2 (Elevated)

Overall Length: Approximately 5,290 mm

Overall Width: Approximately 1,904 mm (excluding mirrors)

Overall Height: Approximately 2,470 mm (for the elevated L2H2 version)

Wheelbase: 3,400 mm

Loading Length: Approximately 2,975 mm

Loading Height: Approximately 1,935 mm

Loading Width: Approximately 1,700 mm (between wheel arches)

Loading Volume: Up to 9.3 m³ for the elevated L2H2 version

Roof height		Low	High¹
Wheelbase		3,400	3,400
Load compartment	length	2,975	2,975
	width	1,700	1,700
	width between wheel arches	1,244	1,244
	height	1,410	1,940
	floor area	5.0m ²	5.0m ²
	load volume	6.7m ³	9.3m ³
Side sliding door	width	1,017	1,017
	height	1,282	1,282
Optional high side sliding door	width	-	1,017
	height	-	1,734
Rear wing doors	width	1,473	1,473
	height	1,305	1,694
Tailgate	width	1,473	-
	height	1,299	-
Turning circle (wall to wall)		13.2m	13.2m



INTERIOR

Driver's Seat:

Comfort, adjustable in height and depth

Features:

A4 document holder,

cup holder, manual air conditioning,

CD radio

Comfort Plus Package:

Air conditioning,

comfort driver's seat,

interior central locking control

Transport Package:

Fixed glazed partition,

glazed rear doors,

rear parking aid

Useful Cargo Volume:

9,300 liters

Useful Loading Length:

2,943 mm





EXTERIOR

Dimensions:

Overall length and elevated height specific to L2H2 model

Height:

Elevated compared to standard versions

Body:

Panel van with glazed rear doors

Lighting:

Two interior loading bay lights

Exterior Accessories:

6 to 8 tie-down rings depending on the version

Advantages

Road handling

Build quality

